

CERTIFICATE OF ANALYSIS

Peptide / Cosmetic Testing Report

CLIENT Certipeptide.com	CLIENT EMAIL support@certipeptide.com	CLIENT CONTACT Whatsapp:+852 4765 1436	PRODUCT / SAMPLE Adamax AX5
SAMPLE TYPE Lyophilized peptide powder	BATCH NUMBER FOK2CKOCDLS3	ANALYSIS DATE 2026-08-02	ISSUE DATE 2026-08-02
SAMPLE DESCRIPTION White, loose powder; chemical for R&D use; 5 mg per bottle; date of manufacture: 2026-07-07; retest date: 2028-07-07.			

ANALYTES / COMPONENTS

ANALYTE	CAS	MOLECULAR FORMU- LA	THEORETICAL MW	LABEL CLAIM	MODIFICA- TION
Adamax AX5	-	-	-	5mg	Acetate

TEST RESULTS

ANALYTE	TEST	METHOD	SPECIFICATION	RESULT	DECISION
Adamax AX5	Appearance	Visual	White or almost white loose powder	White loose powder	Pass
Adamax AX5	Mass spectrum	MS	Corresponds to theoretical mass	Conforms	Pass
Adamax AX5	Purity	HPLC	NLT 98.0 %	98.9 %	Pass
Adamax AX5	Peptide content	HPLC	NLT 90.0 %	92.3 %	Pass
Adamax AX5	Actual fill	Gravimetric	5 mg	5.91 mg	Pass
Adamax AX5	Water content	Karl Fischer	NMT 8.0 %	5.1 %	Pass
Adamax AX5	Bacterial endotoxins	LAL (gel-clot)	NMT 10 EU/mg	<3 EU/mg	Pass

OVERALL CONCLUSION

Pass

VERIFY THIS CERTIFICATE AT QCTESTS.COM

Verification code: D57EEF71F0

Scan the QR code or enter the COA number and code online.



AUTHORIZED SIGNATURE

QCTtests

QCTtests · Issued on 2026-08-02

