

CERTIFICATE OF ANALYSIS

Peptide / Cosmetic Testing Report

CLIENT Certipeptide.com	CLIENT EMAIL support@certipeptide.com	CLIENT CONTACT Whatsapp:+852 4765 1436	PRODUCT / SAMPLE Dermorphin DP2
SAMPLE TYPE Lyophilized peptide powder	BATCH NUMBER RCJW11HT5YGK	ANALYSIS DATE 2026-07-27	ISSUE DATE 2026-07-27
SAMPLE DESCRIPTION White, loose powder; chemical for R&D use; 2 mg per bottle; date of manufacture: 2026-06-28; retest date: 2028-06-28.			

ANALYTES / COMPONENTS

ANALYTE	CAS	MOLECULAR FORMU- LA	THEORETICAL MW	LABEL CLAIM	MODIFICA- TION
Dermorphin DP2	77614-16-5	C40H50N8O10	802.9	2mg	Acetate
SEQUENCE: Tyr-D-Ala-Phe-Gly-Tyr-Pro-Ser-NH2					

TEST RESULTS

ANALYTE	TEST	METHOD	SPECIFICATION	RESULT	DECISION
Dermorphin DP2	Appearance	Visual	White or almost white loose powder	White loose powder	Pass
Dermorphin DP2	Mass spectrum	MS	802.9 +/- 1.0 Da	802.3 Da	Pass
Dermorphin DP2	Purity	HPLC	NLT 98.0 %	99.6 %	Pass
Dermorphin DP2	Peptide content	HPLC	NLT 90.0 %	93.5 %	Pass
Dermorphin DP2	Actual fill	Gravimetric	2 mg	2.37 mg	Pass
Dermorphin DP2	Water content	Karl Fischer	NMT 8.0 %	5.0 %	Pass
Dermorphin DP2	Bacterial endotoxins	LAL (gel-clot)	NMT 10 EU/mg	<3 EU/mg	Pass

OVERALL CONCLUSION
Pass

VERIFY THIS CERTIFICATE AT QCTESTS.COM

Verification code: 48F8D6A5C3

Scan the QR code or enter the COA number and code online.



AUTHORIZED SIGNATURE

QCTtests

QCTtests · Issued on 2026-07-27

