

CERTIFICATE OF ANALYSIS

Peptide / Cosmetic Testing Report

CLIENT Certipeptide.com	CLIENT EMAIL support@certipeptide.com	CLIENT CONTACT Whatsapp:+852 4765 1436	PRODUCT / SAMPLE Retatrutide RT120
SAMPLE TYPE Lyophilized peptide powder	BATCH NUMBER 9F9YGBH2PE2V	ANALYSIS DATE 2026-08-02	ISSUE DATE 2026-08-02
SAMPLE DESCRIPTION White, loose powder; chemical for R&D use; 120 mg per bottle; date of manufacture: 2026-07-19; retest date: 2028-07-19.			

ANALYTES / COMPONENTS

ANALYTE	CAS	MOLECULAR FORMU- LA	THEORETICAL MW	LABEL CLAIM	MODIFICA- TION
Retatrutide RT120	2381089-83-2	C221H342N46O68	4731.4	120mg	Acetate

TEST RESULTS

ANALYTE	TEST	METHOD	SPECIFICATION	RESULT	DECISION
Retatrutide RT120	Appearance	Visual	White or almost white loose powder	White loose powder	Pass
Retatrutide RT120	Mass spectrum	MS	4731.4 +/- 1.0 Da	4731.1 Da	Pass
Retatrutide RT120	Purity	HPLC	NLT 98.0 %	99.7 %	Pass
Retatrutide RT120	Peptide content	HPLC	NLT 90.0 %	93.6 %	Pass
Retatrutide RT120	Actual fill	Gravimetric	120 mg	136.66 mg	Pass
Retatrutide RT120	Water content	Karl Fischer	NMT 8.0 %	4.6 %	Pass
Retatrutide RT120	Bacterial endotoxins	LAL (gel-clot)	NMT 10 EU/mg	<3 EU/mg	Pass

OVERALL CONCLUSION

Pass

VERIFY THIS CERTIFICATE AT QCTESTS.COM

Verification code: 7E4EDD87CA

Scan the QR code or enter the COA number and code online.



AUTHORIZED SIGNATURE

QCTtests

QCTtests · Issued on 2026-08-02

