

CERTIFICATE OF ANALYSIS

Peptide / Cosmetic Testing Report

CLIENT Certipeptide.com	CLIENT EMAIL support@certipeptide.com	CLIENT CONTACT Whatsapp:+852 4765 1436	PRODUCT / SAMPLE Semax XA10
SAMPLE TYPE Lyophilized peptide powder	BATCH NUMBER K1TT9FVXXGDC	ANALYSIS DATE 2026-08-02	ISSUE DATE 2026-08-02
SAMPLE DESCRIPTION White, loose powder; chemical for R&D use; 10 mg per bottle; date of manufacture: 2026-07-13; retest date: 2028-07-13.			

ANALYTES / COMPONENTS

ANALYTE	CAS	MOLECULAR FORMU- LA	THEORETICAL MW	LABEL CLAIM	MODIFICA- TION
Semax XA10	80714-61-0	C37H51N9O10S	813.9	10mg	Acetate
SEQUENCE: MEHFPGP					

TEST RESULTS

ANALYTE	TEST	METHOD	SPECIFICATION	RESULT	DECISION
Semax XA10	Appearance	Visual	White or almost white loose powder	White loose powder	Pass
Semax XA10	Mass spectrum	MS	813.9 +/- 1.0 Da	813.1 Da	Pass
Semax XA10	Purity	HPLC	NLT 98.0 %	99.4 %	Pass
Semax XA10	Peptide content	HPLC	NLT 90.0 %	90.3 %	Pass
Semax XA10	Actual fill	Gravimetric	10 mg	11.43 mg	Pass
Semax XA10	Water content	Karl Fischer	NMT 8.0 %	4.7 %	Pass
Semax XA10	Bacterial endotoxins	LAL (gel-clot)	NMT 10 EU/mg	<3 EU/mg	Pass

OVERALL CONCLUSION
Pass

VERIFY THIS CERTIFICATE AT QCTESTS.COM

Verification code: C17CC2D611

Scan the QR code or enter the COA number and code online.



AUTHORIZED SIGNATURE

QCTtests

QCTtests · Issued on 2026-08-02

